MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME XLIV, 1952

CONSISTING OF V + 882 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

A decade of antibiotics in America, Kenneth B. Raper..... 1
Molds, mutants and monographers, Charles Thom..... 61
Two noteworthy species of Sepedonium, Samuel C. Damon..... 86
A new species of Physoderma, M. S. Brewster..... 97
Homothallism vs. heterothallism in the Penicillium luteum series, Kenneth B. Raper and Dorothy I. Fennell..... 101
Notes on Florida agarics, W. A. Murrill..... 112
The sensitivity of Blastomyces dermatitidis to antifungal agents, Elizabeth W. Ulrich, Loyal S. Suter and Wolcott B. Dunham..... 115
Stromatina Narcissi, a new, sexually dimorphic discomycete, F. L. Drayton and J. W. Groves..... 119
The effect of method of inoculation of media on sporulation of Melanconium fuligineum, Margaret B. Timnick, H. L. Barnett and Virgil Greene Lilly..... 141
Notes and brief articles..... 150
Reviews..... 153

No. 2. March–April

Helexin, an antibiotic active against certain fungi and bacteria, Curt Lebin, G. J. Stessel and G. W. Keitt..... 159
Effect of actidione on mold contaminants and on human pathogens, Cesar A. Fuentes, Fernando Trespalacios, Guillermo F. Baquero and Raquel Aboulafia..... 170
Keratin digestion by dermatophytes; a specific diagnostic method, R. Vanbreusighem..... 176
The nutritution of Penicillium digitatum Sacc., Charles L. Fergus.... 183
The inability of Coprini to sensitize man to ethyl alcohol, George F. Child..... 200
Preliminary observations on the occurrence of mitosis in Caryophanum luteum, Edward L. DeLamater..... 203
Ustilago turcomanica Tranzsch. in the United States, George W. Fischer and Jack P. Meiners..... 207
Leaf spot of parsnip caused by Phleospora crescentium (Barth.) n. comb., E. A. Riley..... 213
The ascigerous stage of Septoria querciti Thuem., Joseph C. Gilman and Bryce N. Wadley..... 216
Gnomonia fragariae in Michigan, Const. J. Alexopoulos and Donald Cation..... 221
New species of polypores, L. O. Overholts..... 224
Perennial polypores of North America. Fomes with colored spores, Josiah L. Lowe..... 228

Notes on the taxonomy of the Achlya flagellata, Achlya imperfecta complex, T. W. JOHNSON, JR. ... 239
Western Fungi. II, WM. BRIDGE COOKE ... 245
Notes and brief articles ... 262
Reviews ... 265

No. 3. MAY–JUNE

The fungi come into their own, B. O. DODGE ... 273
Antibiotic substances produced by species of Cephalosporium with a description of a new species, JOHN M. ROBERTS ... 292
Production of riboflavin by Eremothecium ashbyi grown in a synthetic medium, KATHERINE E. YAW ... 307
Notes on Indian Ustilagineae. IV, S. M. PAVGI AND M. J. THIRUMALACHAR ... 318
Differences in spore surface markings of three pine rusts as shown by the electron microscope, JAMES L. MIELKE AND GEORGE W. COCHRAN ... 325
Culture studies in the genera Pleospora, Clathrospora and Leptosphaeria, EMORY G. SIMMONS ... 330
The Heterosporium disease of California poppy, LILY H. DAVIS ... 366
The effect of certain phenolic compounds on the germination and growth of microfungi, BERNARD VERDCOURT ... 377
Sommerstorffia spinosa Arnaudow, JOHN S. KARLING ... 387
Interfertility between two distinct forms of Cyathus olla, HAROLD J. BRODIE ... 413
Reviews ... 424

No. 4. JULY–AUGUST

Yeasts isolated from shrimp, H. J. PHAFF, E. M. MRAK AND O. B. WILLIAMS ... 431
Studies on variation and mutation in Ashbya gossypii, THOMAS G. PRIDHAM AND KENNETH B. RAPER ... 452
Cultural and nutritional studies of Trichophyton gallinae and Trichophyton megnini, LUCILLE K. GEORG ... 470
Studies of an insect mycosis. IV. The physiology of the host-parasite relationship of Platysamia cecropia and Aspergillus flavus, ALFRED S. SUSSMAN ... 493
Some water relations of Erysiphe polygoni conidia, C. E. YARWOOD ... 506
A physiological study of the Fusaria causing tomato, cabbage and muskmelon wilts, HELEN MOORE AND CHARLES CHUPP ... 523
Another nematode-strangulating Dactylella and some related Hyphomycetes, CHARLES DRECHSLER ... 533
Two new Ascomycetes on Phoradendron, ANNA E. JENKINS AND DONALD P. LIMBER ... 557
A new species of Mucor, EDWARD E. BUTLER ... 561
A new species of Cystobasidium from New Jersey, LINDSAY S. OLIVE ... 564
Nomenclatural notes on the Erysiphaceae, WM. BRIDGE COOKE ... 570

A nephrolemetric technique for large cultures, GEORGE H. SCHERR..... 575
Notes and brief articles..... 578
Reviews..... 583

No. 5. SEPTEMBER–OCTOBER

Biological effects of ionizing radiations from radium and polonium on certain fungi, SIGMUND BERK..... 587
A method for varying the average number of nuclei in the conidia of Neurospora crassa, CHARLES HUEBSCHMAN..... 599
The nutrient requirements of Agaricus campestris grown in submerged culture, HARRY HUMFELD AND T. FRANK SUGIHARA..... 605
The genera Leptosphaeria, Pleospora and Clathrospora in Mt. Rainier National Park, LEWIS E. WEHMEYER..... 621
The genus Auricularia, BERNARD LOWY..... 656
A review of the Leptographium-Scopularia-Hantzschia nomenclature, CHARLES GARDNER SHAW AND ERNEST E. HUBERT..... 693
Further notes on Cryptomycina Pteridis, SARA BACHE-WIIG..... 705
Heinrich Sandstede (1859–1951), GEORGE A. LLANO..... 709
Notes and brief articles..... 716
Reviews..... 721

No. 6. NOVEMBER–DECEMBER

Radiation mutants of Aspergillus niger, SIGMUND BERK..... 723
Acidic metabolic products of Hansenula anomala, STUART B. HUGHES... 736
Pathology, morphology and nuclear cycle of two new species of Pyrenophora, MARVIN D. WHITEHEAD AND J. D. DICKSON..... 747
Phycomycetes from the Douglas Lake region of northern Michigan, F. K. SPARROW..... 759
Synonymy of Tilletia horrida and Neovossia barclayana, E. C. TULLIS AND A. G. JOHNSON..... 773
An undescribed species of ergot on Panicum maximum Jacq. var. Common Guinea, T. THEIS..... 789
Western Fungi. III, WM. BRIDGE COOKE AND CHARLES GARDNER SHAW 795
A new species of Heterosporium from soil, R. G. ATKINSON..... 813
A new species of Fomes from Pakistan, S. MURTAZA HUSSAIN..... 823
Species of Synchytrium in Louisiana. VII. A new species on Urtica chamaedryoides, MELVILLE T. COOK..... 827
Notes and brief articles..... 829
Reviews..... 835
Directory..... 838

INDEX TO VOLUME XLIV

INDEX TO AUTHORS AND TITLES

Aboulafia, Raquel. See Fuentes, Trespalacios, Baquero and Aboulafia

Alexopoulos, Const. J. and Donald Cation. *Gnomonia fragariae* in Michigan 221

Atkinson, R. G. A new species of *Heterosporium* from soil 813

Bache-Wiig, Sara. Further notes on *Cryptomycina Pteridis* 705

Baquero, Guillermo F. See Fuentes, Trespalacios, Baquero and Aboulafia

Barnett, H. L. See Timnick, Barnett and Lilly

Berk, Sigmund. Biological effects of ionizing radiations from radium and polonium on certain fungi 587

——. Radiation mutants of *Aspergillus niger* 723

Brewster, M. S. A new species of *Physoderma* 97

Brodie, Harold J. Interfertility between two distinct forms of *Cyathus olla* 413

Brown, A. M. *Cotoncaster* as a host of *Gymnosporangium clavipes* in Manitoba 719

Butler, Edward E. A new species of *Mucor* 561

Cation, Donald. See Alexopoulos and Cation

Child, George F. The inability of Coprini to sensitize man to ethyl alcohol 200

Chupp, Charles. See Moore and Chupp

Cochran, George W. See Mielke and Cochran

Cook, Melville T. Species of *Synchytrium* in Louisiana. VII. A new species on *Urtica chamaedryoides* 827

Cooke, Wm. Bridge. Western Fungi. II 245

——. Nomenclatural notes on the Erysiphaceae 570

—— **and Charles Gardner Shaw.** Western Fungi. III 795

Damon, Samuel C. Two noteworthy species of *Sepedonium* 86

Darby, R. T. See White and Darby

Davis, Lily H. The *Heterosporium* disease of California poppy 366

DeLamater, Edward L. Preliminary observations on the occurrence of mitosis in *Caryophanum luteum* 203

Dick, Esther A. See Snell and Dick

Dickson, J. D. See Whitehead and Dickson

Dodge, B. O. The fungi come into their own 273

Donk, M. A. The status of the generic name *Oxydontia* L. W. Miller ("Hydnaceae") 262

Drayton, F. L. and J. W. Groves. *Stromatina Narcissi,* a new, sexually dimorphic discomycete 119

Drechsler, Charles. Another nematode-strangulating *Dactylella* and some related Hyphomycetes 533

Dunham, Wolcott B. See Ulrich, Suter and Dunham

Fennell, Dorothy I. See Raper and Fennell
Fergus, Charles L. The nutrition of *Penicillium digitatum* Sacc. 183
Fischer, George W. and Jack P. Meiners. *Ustilago turcomanica* Tranzsch. in the United States 207
Fuentes, Cesar A., Fernando Trespalacios, Guillermo F. Baquero and Raquel Aboulafia. Effect of actidione on mold contaminants and on human pathogens 170
Georg, Lucille K. Cultural and nutritional studies of *Trichophyton gallinae* and *Trichophyton megnini* 470
Gilman, Joseph C. and Bryce N. Wadley. The ascigerous stage of *Septoria querciti* Thuem. 216
Groves, J. W. See Drayton and Groves
Hubert, Ernest E. See Shaw and Hubert
Huebschman, Charles. A method for varying the average number of nuclei in the conidia of *Neurospora crassa* 599
Hughes, Stuart B. Acidic metabolic products of *Hansenula anomala* 736
Humfeld, Harry and T. Frank Sugihara. The nutrient requirements of *Agaricus campestris* grown in submerged culture 605
Hussain, S. Murtaza. A new species of *Fomes* from Pakistan 823
Jenkins, Anna E. and Donald P. Limber. Two new Ascomycetes on *Phoradendron* 557
Johnson, A. G. See Tullis and Johnson
Johnson, T. W., Jr. Notes on the taxonomy of the *Achlya flagellata, Achlya imperfecta* complex 239
Josserand, Marcel. The ability of Coprini to sensitize man to ethyl alcohol 829
Karling, John S. *Sommerstorffia spinosa* Arnaudow 387
Keitt, G. W. See Lebin, Stessel and Keitt
Lebin, Curt, G. J. Stessel and G. W. Keitt. Helexin, an antibiotic active against certain fungi and bacteria 159
Lilly, Virgil Greene. See Timnick, Barnett and Lilly
Limber, Donald P. See Jenkins and Limber
Llano, George A. Heinrich Sandstede (1859–1951) 709
Lowe, Josiah L. Perennial polypores of North America. *Fomes* with colored spores 228
Lowy, Bernard. The genus *Auricularia* 656
Martin, G. W. *Femsjonia luteoalba* 580
Meiners, Jack P. See Fischer and Meiners
Mielke, James L. and George W. Cochran. Differences in spore surface markings of three pine rusts, as shown by the electron microscope 325
Moore, Helen and Charles Chupp. A physiological study of the Fusaria causing tomato, cabbage and muskmelon wilts 523
Mrak, E. M. See Phaff, Mrak and Williams
Murrill, W. A. Notes on Florida agarics 112
Olive, Lindsay S. A new species of *Cystobasidium* from New Jersey 564
Overholts, L. O. New species of polypores 224
Pavgi, M. S. and M. J. Thirumalachar. Notes on Indian Ustilagineae. IV 318

Phaff, H. J., E. M. Mrak and O. B. Williams. Yeasts isolated from shrimp 431

Pridham, Thomas G. and Kenneth B. Raper. Studies on variation and mutation in *Ashbya gossypii* 452

Raper, Kenneth B. A decade of antibiotics in America 1

—— **and Dorothy I. Fennell.** Homothallism vs. heterothallism in the *Penicillium luteum* series 101

——. See Pridham and Raper

Riley, E. A. Leaf spot of parsnip caused by *Phleospora crescentium* (Barth.) n. comb. 213

Roberts, John M. Antibiotic substances produced by species of *Cephalosporium* with the description of a new species 292

Rogerson, Clark T. and Robert L. Shaffer. *Underwoodia* in Kansas 582

Scherr, George H. A nephrolemetric technique for large cultures 575

Shaffer, Robert L. See Rogerson and Shaffer

Shaw, Charles Gardner and Ernest E. Hubert. A review of the *Leptographium-Scopularia-Hantzschia* nomenclature 693

——. See Cooke and Shaw

Simmons, Emory G. Culture studies in the genera *Pleospora, Clathrospora* and *Leptosphaeria* 330

Snell, Walter H. and Esther A. Dick. Two phalloids from Rhode Island 150

Sparrow, F. K. Phycomycetes from the Douglas Lake region of northern Michigan 759

Stessel, G. I. See Lebin, Stessel and Keitt

Sugihara, T. Frank. See Humfeld and Sugihara

Sussman, Alfred S. Studies of an insect mycosis. IV. The physiology of the host-parasite relationship of *Platysamia cecropia* and *Aspergillus flavus* 493

Suter, Loyal S. See Ulrich, Suter and Dunham

Theis, T. An undescribed species of ergot on *Panicum maximum* Jacq. var. Common Guinea 789

Thirumalachar, M. J. See Pavgi and Thirumalachar

Thom, Charles. Molds, mutants and monographers 61

Timnick, Margaret B., H. L. Barnett and Virgil Greene Lilly. The effect of method of inoculation of media on sporulation of *Melanconium fuligineum* 141

Trespalacios, Fernando. See Fuentes, Trespalacios, Baquero and Aboulafia

Tullis, E. C. and A. G. Johnson. Synonymy of *Tilletia horrida* and *Neovossia barclayana* 773

Ulrich, Elizabeth W., Loyal S. Suter and Wolcott B. Dunham. The sensitivity of *Blastomyces dermatitidis* to antifungal agents 115

Vanbreusighem, R. Keratin digestion by dermatophytes: a specific diagnostic method 176

Verdcourt, Bernard. The effect of certain phenolic compounds on the germination and growth of microfungi 377

Wadley, Bryce N. See Gilman and Wadley

Wehmeyer, Lewis E. The genera *Leptosphaeria, Pleospora* and *Clathrospora* in Mt. Rainier National Park 621

White, W. Lawrence and R. T. Darby. A refrigerator cabinet for fungal cultures 578

Whitehead, Marvin D. and J. D. Dickson. Pathology, morphology and nuclear cycle of two new species of *Pyrenophora* 747

Williams, O. B. See Phaff, Mrak and Williams

Yarwood, C. E. Some water relations of *Erysiphe polygoni* conidia 506

Yaw, Katherine E. Production of riboflavin by *Eremothecium ashbyi* grown in a synthetic medium 307

INDEX TO GENERA AND SPECIES

New taxa and the pages where they appear are in **bold face type.** An attempt has been made to correct mistakes in the spelling of scientific names where such occur in the text.

Achlya 394, 401, 406; americana 770; androcomposita 242, 243; colorata 770; debaryana var. intermedia 239, 243; flagellata 239; flagellata var. yezoensis 242, 243; imperfecta 239, 770; klebsiana 770; michiganensis 770; racemosa 769; subterranea 770; treleaseana 770
Achorion gallinae 472, 474, 477; schoenleini 174
Acia 262
Acremoniella verrucosa 811
Acremonium potroni 182
Actinomyces 289; bovis 596
Actinoplanes philippinensis 289
Agaricus campestris 605
Agrobacterium tumefaciens 167
Aleurospora rosacea 474
Allescheria boydii 182
Allomyces arbuscula 280, 281; cystogenus 281
Alternaria 174, 345, 346, 348, 351, 352, 357, 359, 360, 362, 394, 747, 748, 750; fasciculata 358; humicola 358; maritima 358; solani 167; tenuis 182, 348, 358, 359, 360, 361, 748, 811; tenuissima 811
Amanitopsis vaginata 509, 512
Ancylistis closterii 771
Anthurus borealis 151; javanicus 150
Anulosporium nematogenum 545
Aphanomyces 387, 399, 401, 406; laevis 770
Arthrobotrys dactyloides 533; entomopaga 546; oligospora 540
Ascobolus 283; magnificus 135
Ascochyta **caricis 799; dianthi** 801; heraclei 250; **lomatii 250; rhamni 799;** silenes 801
Ashbya gossypii 452
Aspergillus 11, 37, 75, 77, 172, 173, 174, 378, 394; carbonaceus 80; carbonarius 80; flavus 493, 589, 597; fonsecaeus 80; fumigatus 174; glaucus 80, 174; japonica 384; niger 80, 81, 172, 182, 377, 384, 386, 452, 589, 591, 592, 594, 723; quadrilineatus 182; terreus 724; unguis 811
Asterophlyctis sarcoptoides 768
Auricula judae 658; nigra 673; tenuis 679; tremellosa 664
Auricularia 656; adnata 668; albicans 683; amethystea 686; ampla 662; aurantiaca 686; auricula 658; auricula-judae 658, 660; auricularis 658; blepharistoma 684; brasiliensis 677; bresadolae 684; buccina 684; byssoidea 686; caerulea 687; calcea 686; cantherella 687; cariophyllea 687; cati 684; cinerea 687; coffeicolor 684; cornea 662; corrugata 687; corticalis 687; crassa 664; dacryomycetospora 684; delicata 656, 664, 685, 686, 689; discensa 687; elegans 687; emini 656, 682; euphorbaecola 687; ferruginea 688; flava 677; frustulosa 688; fucoidea 684; fuscosuccinea 660, 677; grisea 688; hispidula 673; hunteri 664; inconcinum 690; indica 684; intestinalis 685; judae 658; lenta 685; lobata 667; mesenterica 666, 671; mesenteriformis 667; minuta 686; moelleri 664; mollis 677, 679; muscigena 688; nigrescens 673; ornata 668; pannosa 688; papyrina 688; persistens 688; persoonii 688; perverulenta 689; peltata 671, 688; phylacteris 688; polygonia 688; polytricha 672, 673, 682, 690; porphyrea 673; protracta 689; pusio 686; reflexa 686, 688, 689; regularis 689; rosea 677; sambuci 658; sambucina 658; schulzeri 689;

scutellaeformis 689; sordescens 686; squamosa 682; stellata 677; strigoso-zonata 689; syringae 686; tabacina 689; tenuis 679; totarae 689; tremellosa 664; undulata 690; velutina 686; venulosa 690; vespertilio 686

Bacillus brevis 5, 29; licheniformis 29; megatherium 32; polymyxa 30; subtilis 30, 37, 167
Barlea fulgens 275
Beauveria globulifera 182
Blastomyces dermatitidis 115, 173
Blyttiomyces **laevis 765;** spinulosis 765, 767
Boletus frostii 274; russellii 274
Botryotinia 119
Botrytis 724; allii 167, 377; narcissicola 119
Brachiaria distachya 323
Brevilegnia subclavata 770

Candida 435; albicans 27, 167, 182; guilliermondii 173, 433, 434; parapsilosis 434; stellatoidea 173; tropicalis 173
Caryophanon latum 203
Catenaria anguillulae 768
Cephalosporium 173, 292, 302, 305; acremonium 182, 296, 297, 301; album 297; asteroides var. grutzii 297, 301; ballagii 297; carpogenum 297; charticola 294, 295, 296, 297; ciferri 298; coccidiocolum 298; coccorum 298; curtipes 298; deformans 298; diospyri 301; furcatum 298; gramineum 298; kiliense 301; lamellaecola 294, 298; lanosoniveum 294, 296, 299; lecanii 299; lefroyi 299; longisporum 299; malorum 299; niveo-lanosum 299; pseudofermentum 299; recifei 299; rubescens 300; rubro-brunneum 300, 304; **salmosynnematium 304,** 305, 306; sclerotigenum 300; serrae 300; spinosum 301; stuehmeri 300; subverticillatum 301; tabacinum 301
Ceratostomella fimbriata 109; leptographioides 702; piceaperda 702; rostrocylindrica 702; ulmi 170
Cerebella 789; andropogonis 793
Chaetomium 727; convolutum 811; funicolum 811; globosum 182, 589, 596, 727
Chytridium schenkii 768
Ciboria batschiana 130; caucus 130
Cladochytrium replicatum 768
Cladosarum 79, 80
Cladosporium 793; herbarum 811
Clathrospora 330, 621; **cookei** 336, 651, **653;** diplospora 335, 336, 341, 342, 344, 345, 346, 348, 352, 354, 355, 356, 357, 360, 361; elynae 336, 343, 344, 345, 346, 348, 353, 354, 355, 356, 357, 360, 361, 653; juncicola 653; permunda 336, 343, 344, 651, 652; **simmonsii** 336, **652**
Claviceps balansioides 793; **maximensis 792;** paspali 790; uleana 793
Climacodon 262
Closteroaleurosporia gallinae 474
Coccidioides immitis 170
Coccodinium bartschii 252, 253; **laricis 252**
Colletotrichum circinans 167; phomoides 167
Colus javanicus 150; schellenbergiae 150
Conidiobolus villosus 771
Coniosporium 255; hysterinum 254; shiraianum 254
Coprinus atramentarius 200, 201, 829; comatus 200, 201, 829; micaceus 200, 201, 829; plicatilis 509
Corticium fuscostratum 260
Cortinarius **birchfieldii 112; laeticolor 112;** rutilans 114
Cristella candidissima 253
Cronartium coleosporoides 325; filamentosum 325; harknessii 325; stalactiforme 325
Cryptococcus neoformans 172
Cryptomycina pteridis 705
Ctenomyces asteroides 179; interdigitalis 179; persicolor 179
Cyathus anglicus 415, 417, 420, 421, 422, 423; dura 413, 417; olla 413; olla f. anglicus 413, 417, 418, 419, 420, 422; stercoreus 136, 421
Cylindrosporium 214; **burkii 807;** crescentium 214, 215; **fraserae 807;** longisporum 807; lupini 807
Cystobasidium lasioboli 567, 568; **proliferans 564,** 568; sebaceum 567, 568
Cytospora **eriogoni 798**

Dacryopinax elegans 684
Dactylaria brachopaga 533; candida 545, 547; eudermata 546; gracilis 533; psychrophila 546
Dactylella **achrochaeta 541;** aphrobrocha 533, 534; benibicodes 533; coelobrocha 533, 534; doedycoides 533, 534, 536, 540; **helminthodes 553;** heterospora 533, 534, 540, 543; leptospora 547, 553; lysipaga 545, 547; passalopaga 549, 553; spermatophaga 547; stenobrocha 533

Dasyscypha caliciformis 246; pseudotsugae 246
Delitschia bisporula 811
Dendrophoma obscurans 221, 223
Dictyostelium discoideum 275
Dictyuchus anomalus 770; monosporus 770
Didymaria **anethiana 805**
Diplodina artemisiae 800; passerinii 801; **silenes 800,** 801; **tridentatae 800**
Diplophlyctis intestina 767; laevis 767
Distyla 403, 406, 408, 411
Donkia 262
Dothidella castanicola 256, 257, 258; castanopsidis 256, 258; janus 257, 258

Ectotrichophyton megnini 474
Endochytrium operculatum 768
Endogone pisiformis 771
Endomyces 432
Entomophthora 771
Entophlyctis confervae-glomeratae 767
Entyloma eschscholtziae 369
Epidermophyton floccosum 172, 179, 180; gallinae 470, 472, 474
Eremothecium ashbyi 307
Erysiphe aduncа 573; astragali 573; bicornis 572; cichoracearum 574; clandestina 572; communis 574; euonymae 573; galeopsidis 574; graminis 574; guttata 574; macularis 572; pannosa 572; penicillata 573; penicillata var. rhamnifrangulae 573; polygoni 368, 506, 574; prunastri 573; salicis 572
Escherichia coli 290, 293, 295, 305
Exidia 581, 689; ampla 662; auricula 658; cornea 662; fuscosuccinea 677; hispidula 673; lobata 667; pezizaeformis 581; polytricha 672; porphyrea 673; purpurescens 673; tenuis 679

Favolus 685
Femsjonia luteoalba 580, 581, 582; pezizaeformis 581; radiculata 580, 581
Fomes **ajazi 823;** badius 228, 230; calcitratus 228, 231; conchatus 823; densus 231; dependens 228, 231; everhartii 228, 232; extensus 228, 232; juniperinus 228, 232; linteus 228, 232, 237; melanodermus 228, 233; melanodermus var. tomentosus 229, 233; nigrolimitatus 226; pectinatus 228, 233; praerimosus 228, 236; pseudosenex 228, 236; putearius 226; **repandus 224;** ribis 228, 236; rimosus 228, 236; robinsoniae 237; sarcitus 237; senex 237; spongiosus 226; sublinteus 228, 237; swieteniae 228, 238
Fomitiporella johnsoniana 229, 231
Fulvifomes 228
Fusarium 172, 174, 358, 359, 394, 523; oxysporum 523; oxysporum f. conglutinans 525; oxysporum f. lycopersici 167, 527; oxysporum f. niveum 528, 529, 530; oxysporum f. pisi 167, 527; solani 182

Glenospora clapieri 182
Gliocladium fimbriatum 4
Gliosphaera clerciana 694, 701; globuligera 694
Gloeosporium **arctostaphyli 806;** equiseti 810; fragariae 222; **iliamnae 806,** 807
Gloidon 262
Glomerella 283, 286; cingulata 163, 167, 287
Gnomonia fragariae 221, 831; fragariae f. fructicola 222; fructicola 831; herbicola 222
Graphium phycomyces 701; tenuissima 701
Grosmannia 703; ips 702; penicillata 701; pini 702; serpens 702
Gymnosporangium clavipes 719; ellisii 280
Gyraria auricularis 658

Habrostictis persoonii 810
Hansenula 435; anomala 736; californica 434
Hantzschia 693; phycomyces 695, 696, 698, 699, 701
Haplographium bicolor 254, 703; delicatum 702; fuscipes 703; tenuissimum 701
Helicogloea alba 566
Helminthosporium 172, 173, 174, 748, 751, 753; **abietis 808;** catenarium 757; cyclops 811, 812; **pseudotsugae 251,** 253; ravenelii 319; resinae 252, 253; sativum 167; secalis 757; tuberosum 757; velutinum 255; victoriae 167
Heterosporium 371, 374; cladosporioides 813; eschscholtziae 366, 369, 375; groenlandicum 369; **terrestre 813;** tropaeoli 369
Hirneola 690, 691; ampla 662; auricula 658; auricula-judae 658, 660; cornea 662; floccosa 682; fuscosuccinea 677; hispidula 673; nigra 673; nigricans 690; polytricha 673; porphyrea 673; tenuis 679

Histoplasma capsulatum 173, 174
Hormodendrum cladosporioides 811; pedrosoi 172, 173, 174; viride 811
Hydatinophagus 387
Hydnum atrofuscum 262; setosum 262
Hymenochaete 687, 688
Hypomyces 94, 283; chlorinus 95; luteo-virens 94; solani f. cucurbitae 137, 138; tulasneanus 94

Isaria citrina 260
Isoachlya toruloides 770

Jola lasioboli 567; orthosacca 568

Kmetia **corticola 808**
Kneiffia 263

Lachnea melaloma 283
Lactarius deliciosus 275
Lactobacillus casei 309; lactis 31
Langeronia soudanensis 179
Laschia 685, 690, 691; delicata 664; tremellosa 664
Lasiobolus equinus 567
Lejosepium aureum 94, 95
Lenzites trabea 589, 597
Leptographium lundbergii 694, 700; microsporum 701; penicillata 701; phycomyces 701; serpens 702
Leptosphaeria 257, 330, 621; agnita 624, 628, 629, 637; amphibola 639; aquilina 636; asparagina 625, 628, 629, 638; baldingerae 623, 624, 634, 635; bambusae 631; bupleuri 624, 627, 629, 635, 636; conimbricensis 639; culmifraga 622, 623, 632, 634; culmifraga var. mosana 634; cylindrospora 636; doliolides 634, 640; doliolum 622, 623, 629; drabae 625, 628, 629, 639, 640; **elongata** 623, 624, **633;** erigerontis 336, 624, 628, 629, 638; euphorbiae 623; eustoma 623, 631; feltgeni 637; **filiformis** 336, 629, **641;** heterospora 335, 336, 344, 345, 346, 353, 354, 355, 356, 357, 360, 361; janus 258; junciseda 631; multiseptata 625, 628, 629, 640, 641; niessleana 625, 627, 629, 635, 636; norvegica 624, 627, 628, 636, 637; occulta 637; octoseptata 628, 629, 640; olivacea 628, 629, 638; oreophila 624, 625; oreophiloides var. scrophulariae 636; praeclara 622, 631, 632; recessa 632; rehmii 632; salsolae 624, 628, 637; tenera 624, 627, 629, 636, 637, 639; typharum 622, 623, 630, 631, 632; typharum var. phragmitina 631; typhisida 632; vagans 622, 623, 631
Libertella equiseti 810
Limacina resinae 252, 253
Lindavia 695, 700; venusta 701
Lophiostoma macrostomoides 632; pseudomacrostomum 632
Lophophyton gallinae 474
Lycoperdon 509; equiseti 810
Lysurus borealis 151; gardneri 151

Macrophoma **chrysothamni 797**
Macroscyphus radiculatus 581; sowerbea 581
Macrosporium parasiticum 332
Megatrichophyton megnini 474; roseum 474
Melanconium fuligineum 141; shiraianum 254
Melanoleuca **russuloides 113**
Memnoniella echinata 811, 812
Merulius perverulentus 689
Metarrhizium anisopliae 503
Metasphaeria janus 258
Micrococcus pyogenes var. aureus 167, 293, 295, 305
Micromonospora 16
Micromyces zygogonii 760
Microsphaera alni 573, alni var. calocladophora 574; alni var. divaricata 573; alni var. extensa 573; alni var. lonicerae 573; alni var. ludens 574; alni var. vaccinii 573; astragali 573; berberidis 573; euonymi 573; grossulariae 574; penicillata 573; penicillata var. **calocladophora 574;** penicillata var. **extensa 573;** penicillata var. **lonicerae 573;** penicillata var. **ludens 574;** penicillata var. **rhamni-frangulae 573;** penicillata var. **vaccinii 573**
Microsporum 179, 180, 248; audouini 173; canis 172; ferrugineum 173; gallinae 474; gypseum 173, 176, 247
Monilia crassa 589; sitophila 78
Monoblepharis macranda 769
Monosporium apiospermum 173
Mortierella 588
Mucor 172, 174, 377, 380; aromaticus 563; mucedo 182; oblongisporus 563; **recurvatus 561**
Mycoacia 262, 263
Mycobacterium 293, 305; tuberculosus 17, 20
Mycoderma 432
Mycosphaerella 216; aequatica 219; caespitosa 219; catesbeyi 217, 219; maculiformis 219; nigrita 219; operculata 219; **psilospora 219;** punctiformis 219; spleniata 219

Myrothecium verrucaria 182

Naematoloma sublateritium 260
Naetrocymbe 252; fuliginea 253
Nematospora 453, 461
Neovossia 773, 783; barclayana 773, 783; horrida 773, 783; iowensis 783; moliniae 776, 782, 783
Neurospora 78, 101, 283, 287, 290, 291, 310, 314, 724; crassa 105, 288, 599; sitophila 105, 134, 135, 196, 282; tetrasperma 109, 282
Nigrospora 174; sphaerica 167
Nocardia madurae 173
Nowakowskiella elegans 768; hemisphaerospora 768

Odontia 262
Oidium 432
Olpidium pendulum 759
Ophiobolus inflatus 641
Ophiostoma polonicum 702
Outhovia 695, 700
Ovularia **lupini 802**; sphaeroidea 802
Oxydontia 262, 263

Paecilomyces 174
Panaeolus 200; campanulatus 201
Papularia 255
Paracoccidioides cerebriformis 173; tenuis 172
Pasteurella tularense 26
Patila lobata 667; mesenterica 667
Penicillium 11, 37, 72, 172, 174, 283, 394, 589, 597; avellaneum 103, 105, 110; bacillosporum 102, 103, 104, 110; brefeldianum 102, 285; cerebriformis 173; chrysogenum 8, 9, 10, 18, 44, 276, 282, 379, 382, 384, 452; citrinum 12; digitatum 70, 183; egyptiacum 102; ehrlichii 102; expansum 70, 73, 811; glaucum 285; helicum 102, 103, 110; italicum 70; janczewskii 377; javanicum 102; luteum 101, 102, 103, 104, 105, 107, 108, 109, 111, 282; notatum 3, 4, 6, 7, 70, 74, 76, 167, 170, 182, 276, 282; rotundum 102, 103, 110; rubrum 7; solitum 182; spiculisporum 103, 104, 105, 110; stipitatum 102, 103, 111; striatum 102, 103, 110; tenuis 173; vermiculatum 102, 103, 105, 107, 110; wortmanni 102, 103, 105, 111
Peniophora mollis 260
Peranema 404
Peridermium filamentosum 325; harknessii 326; stalactiforme 325
Peronospora destructor 509, 511, 521
Pestalotia virgatula 256
Peziza auricula 658; nigricans 690; persoonii 809; radiculata 581; rapulum 130, 131; sowerbea 581
Phaeosaccardinula 253
Phialophora verrucosa 173
Phlebia 282, 686, 688, 689, 690; mesenterica 667
Phlebiella **candidissima 253**
Phleospora **crescentium** 213, **215**
Phlyctidium **tenue 760,** 762
Phlyctochytrium 766; **longicollum 763; papillatum 764;** planicorne 765; synchytrii 765
Phoma **eriogoni 797;** herbarum 797; mali 182; marsiliae 100
Phragmocapnias 253
Phyllactinia corylea 574; guttata 574; castanicola 256, 258; **eriogoni 797; erythronii 796;** grandimaculans 222; **hosackiae 796; maianthemi 795**
Phyllosticta castanicola 256, 258; **eriogoni 797; erythronii 796;** grandimaculans 222; **hosackiae 796; maianthemi 795**
Physoderma 97, 768; **marsiliae 99;** menyanthis 768
Physodermataceae 768
Piedraia hortai 173, 182
Platycarpa polypodii 567
Platygloea 567
Pleosphaeria semeniperda 811
Pleospora 330, 621, 747; abscondita 642; ambigua 335, 336, 337, 361, 643, 646, 647, 648, 649; asymmetrica 335, 336, 644, 650, 651; calvescens 369, 373; comata, 336, 643, 649; helvetica 335, 336, 643, 648; herbarum 332, 336, 644, 648, 649; herbarum var. occidentalis 336, 642, 644, 650; infectoria 336, 337, 338, 344, 361; laxa 336, 644, 650; media 647; media var. obtusa 644, 649; montana 650, 651; njegusensis 336, 338, 361; oligasca 336; punctata 650; rainierensis 335, 336, 343, 344, 361, 644, 651, 654; richtophensis 643, 645; richtophensis var. pallida 336, 642, 643, 645; rubicunda 643, 645; rubicunda var. **americana** 336, 642, **645;** tragacanthae 650; trichostoma 336, 339, 345, 361, 748
Plowrightia 256
Podosphaera clandestina 572; clandestina var. **tridactyla 572;** oxyacanthae 572; oxyacanthae var. tridactyla 572
Podosporiella verticillata 812
Polyangium 549

Polyporus candidissimus 253; demidoffii 231, 232; fissilis 227; subcartilagineus 227; **transmutans 226;** vaporarius 182
Poria candidissima 253; pereffusa 231
Protascus 404
Proteus 53; vulgaris 28, 167
Psalliota campestris 509
Pseudociboria 131
Pseudocolus javanicus 150; schellenbergii 150
Pseudomonas 53; aeruginosa 28, 167
Pullularia pullulans 182, 434
Puccinia graminis 279
Pyrenophora 643; **alternarina 748;** avenae 747, 751; phaeocomes 757; relicina 755; sarcocystis 757; **secalis 752,** 757; trichostroma 757
Pyronema 283, 286
Pyropolyporus cedrelae 231, 237; cinchonensis 231; earlei 231, 232; grenadensis 232, 233; hydrophilus 229, 232, 233; jamaicensis 229, 232; johnsoniana 232; langloisii 232, 237; linteus 233; melleicinctus 229, 230, 233; robiniae 237; subpectinatus 238; swieteniae 230; troyanus 229, 236, 238; underwoodii 230, 238; yucatanensis 229, 233, 238
Pythium debaryanum 182, 533; irregulare 545, 549; spinosum 546; ultimum 549

Ramularia agoseridis 805; glauca 802; heraclei 250; **lathyri 803;** lupini 802; **orogeniae 803; polemoniae 804;** sidalceae 806; **synthyridis 804; trillii 805**
Rhabdospora detospora 810
Rhizidiomyces apophysatus 764
Rhizoclosmatium aurantiacum 767; globosum 767
Rhizoctonia solani 4, 182
Rhizophlyctis 100; petersonii 767
Rhizophydium 100; **bullatum 712,** 763, 765; chaetiferum 762; closterii 763; keratinophilum 763; pollinispini 763; sphaerotheca 762, 763
Rhizopus 174, 394; nigricans 378, 589
Rhodotorula 174, 432, 435; glutinis 434; **marina 436;** mucilaginosa 434; **peneaus** 434, **438; texensis** 434, **437**
Rosenscheldiella **phoradendri 560**
Rozellopsis septigena 759

Sabouraudites 179; audouini 179, 180; canis 179, 180, 181; gallinae 474; gypseus 179; langeroni 179; megnini 474
Saccharomyces 432; cerevisiae 167, 281, 286, 588; chevalieri 281, 286
Salmonella 53; typhimurium 293, 294, 295, 305; typhosa 47
Saprolegnia 394; diclina 769; ferax 769; litoralis 769; mixta 148, 769; monoica var. glomerata 769; parasitica 769
Sarcodontia 262, 263; **setosa 262**
Schizosaccharomyces pombe 109
Sclerotinia 276; fructicola 167; fructigena 182; narcissi 126; narcissicola 119; sclerotiorum 129, 134
Sclerotium ambiquum var. narcissi 121, 126
Scopularia 693, 694; burchellii 695; clerciana 694, 701; corsicana 702; halepensis 702; lundbergii 700; microspora 701; penicillata 701; pini 702; populi 701; rumboldii 702; scopula 701; serpens 695, 701; tenuissima 701; venusta 693, 694, 695, 699, 700, 701, 702
Scopulariopsis brevicaulis 182
Sepedonium 86; **ampullosporum 91; chlorinum 95;** chrysospermum 86; macrosporum 90, 91, 92; tulasneanum 94, 95; xylogenum 94
Septogloeum equiseti 810
Septoria 217; detospora 810; equiseti 810; querceti 216; **scorzonellae 801; tellimae 801**
Septosperma rhizophidii 762
Sepultaria 261
Siphonaria variabilis 768
Sommerstoffia 406; spinosa 387
Sordaria fimicola 182
Sorosporium turneri 319
Sowerbyella radiculata 581
Sphacelotheca arundinellae 318; bicornis 318
Sphaerella weiriana 256, 258
Sphaeria janus 258
Sphaeropsis **vaccinii 798**
Sphaerotheca humuli 572; humuli var. fuliginea 572; **macularis 572;** macularis var. **fuliginea 572;** pannosa 572
Spongipellis 262
Sporobolomyces 432
Sporotrichum 261; carougeaui 182
Stachybotrys atra 811
Stamnaria americana 809; equiseti 810; persoonii 809
Staphylococcus aureus 35
Stemphylium botryosum 332; consortiale 255, 811; sarcinaeforme 167
Stereum 687, 688; inconcinum 690
Streptococcus pyogenes 2; viridans 14

Streptomyces 160, 163, 168, 289; antibioticus 16; aureofaciens 25; fradiae 21; griseocarneus 18; griseus 17, 18, 32, 464; lavendulae 17; olivaceus 33; rimosus 27, 39; venezuelae 23
Stromatinia gladioli 121, 129, 130, 131, 132, 134, 135; **narcissi** 119, **126;** pseudotuberosa 130; rapulum 130, 131
Stromatocrea 248; cerebriforme 248, **249**
Stysanus stemonitis 182
Syncephalastrum 174
Synchaetophagus 387
Synchytrium **urticae 827**

Thelephora 686, 687, 688, 689
Thielavia sepedonium 247
Thraustotheca clavata 770
Tilachlidium 292, 296, 305; butyri 303; nigrescens 303; tomentosum 303
Tilletia 773; ajrekari 786; barclayana 783; corona 773, 777, 786; echinosperma 323; horrida 773; pennisetina 777, 779, 780, 781, 782, 783; pulcherrima 323, 324, 785; pulcherrima var. **brachiariae 323,** 324; rotundata 773; setariae 323; **setaricola 321,** 323
Titaeospora 809; detospora 810
Torulopsis 435; aeria 434; albida 434; glabrata 433
Trechispora candidissima 253
Tremella 687; auricula 658; auricula-judae 658, 673; cornea 662
Trichoderma 174; viride 182
Tricholoma **russuloides 113;** rutilans 113
Trichophyton cerebriformis 174; concentricum 173; epilans 174; faviforme 173; ferrugineum 180; **gallinae** 470, **474;** megnini 173, 470; mentagrophytes 11, 167, 170, 172, 173, 174, 179; quinckeanum 179, 180; rosaceum 472, 473, 474, 475, 476; roseum 472, 474; rubrum 171, 172, 174, 176, 179, 180; sabouraudi 174; schoenleini 179, 180; tonsurans 172, 174; vinosum 474, 475; violaceum 174, 179, 180
Trichoscyphella **tenuipilosa 245,** 246, 247
Trichosporon 435; beigelii 174, cutaneum 433; cutaneum var. **peneaus** 433, **439; diddensii** 433, 434, **440; lodderi** 434, **441**
Trichothecium 546; arrhenopum 547, 549, 550; polybrochium 533; **polyctonum 550,** 552; roseum 550
Trimmatostroma **pini 808**
Trinacrium subtile 547

Uleomyces **wellmanii 557**
Uncinula aceris 572; aceris var. tulasnei 572; **adunca 573;** bicornis 572; bicornis var. **tulasnei 572;** clandestina 573; prunastri 573; salicis 572
Underwoodia columnaris 582
Uromyces phaseoli 509, 511, 521
Urophlyctis 99
Ustilago arundinellae 319; bullata 207, 208, 209, 212, 785; heterospora 323; maydis 288; panicifrumentacei 321; turcomanica 207; zeae 182

Venturia inaequalis 134, 166, 167
Verticillium 91; albo-atrum 167; agaricinum 91

Xanthomonas campestris 167; phaseoli 167

Zoophagus 404; insidians 771
Zythia fragariae 222, 223